AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1-13. (cancelled)

14. (new) A compound of general formula (I):



(I)

wherein

- R_1 is a hydrogen atom or a C_1-C_4 alkyl group;
- R_2 and R_3, which can be the same or different, are a C_1-C_4 alkyl group, or R_2 and R_3, together with the carbon atom which they are linked to, form a cyclic aliphatic group having 3 to 7 carbon atoms or a heterocyclic aliphatic group having 3 to 7 atoms, one or two of which are selected from the group N, O, S and the others being C atoms;
- R_4 and R_5, which can be the same or different, are a hydrogen atom or a C_1-C_4 alkyl group;

- **X** is selected from the group consisting of halogen, OR_1, SR_1, CN, and a C_1-C_4 alkyl group;

- **B** has at least one amino group with basic characteristics or a tetraalkylammonium group and is selected from the group consisting of:



;

- R_6 is a hydrogen atom or a C_1-C_6 alkyl group;

- **Y** is selected from the group consisting of hydrogen, $(CH_2)_pY_1$, $(CH_2)_pNR_6Y_1$, $(CH_2)_pN(Y_1)_2$, NR_5R_6, - $NR_6(CH_2)_pY_1$, and a residue selected from the group consisting of:



;

- **T** is selected from the group consisting of $-NR_7R_8$, $-NR_{14}R_{18}R_{19}$, and $-OR_6$;

- R_7 and R_8, which can be the same or different, are a hydrogen atom, a C_1-C_4 alkyl group, or NR_7R_8 is a group selected from : i) guanidine optionally substituted with 1 or 2 C_1-C_4 alkyl groups, cyclohexyl, ii) a 5-7 membered nitrogen heterocycle optionally containing another heteroatom selected from O, N, S;

- **Y_1** is selected from the group consisting of NR_7R_8, $NR_{14}R_{18}R_{19}$, and a residue selected from the group consisting of:



;

- **Z** is selected from the group consisting of H, C_1-C_6 alkyl, OR_6, SR_6, CF_3, $OCOR_6$, COR_{10}, $NHCOR_6$, SO_2R_6, SOR_6, CO_2R_6, $N(R_6)_2$, C_1, Br, NO_2, NH_2, CN, F, imidazole, phenyl, amidine, guanidine, and guanidyl-methyl;

- **R_9** is hydrogen or $-(CH_2)q-L$, wherein L is selected from the group consisting of -OH, $-NR_5R_6$, $-NR_{14}R_{18}R_{19}$, amidine optionally substituted with 1 or 2 C_1-C_4 alkyl groups, and guanidine optionally substituted with 1 or 2 C_1-C_4 alkyl groups;

- **R_{10}** is OR_6 or NR_6R_{12};

- **R_{11}** is selected from the group consisting of hydrogen, $-(CH_2)_q-L$, and $-(CH_2)_p-NR_4-(CH_2)_q-L$;

- **R_{12}** is selected from the group consisting of a hydrogen atom, a C_1-C_6 alkyl group, and COR_6;

- **R_{13}** is selected from the group consisting of H, a $-C_1$-C_6 alkyl group, $-(CH_2)_pW(CH_2)_qY_1$, -Y, -COY, and $-CH_2-Y$;

- **R_{14}** is a straight or branched C_1-C_4 alkyl group;

- $\mathbf{R_{15}}$ is selected from the group consisting of hydrogen and straight or branched C_1-C_4 alkyl groups;
- the $\mathbf{-NR_{16}R_{17}}$ group is a 5-7 membered nitrogen aliphatic heterocycle optionally containing another heteroatom selected from the group consisting of O, S, and N;
- the $\mathbf{-NR_{14}R_{18}R_{19}}$ group is a quaternary ammonium group in which: $\mathbf{R_{14}}$ is selected from the group consisting of straight or branched C_1-C_4 alkyl groups, $\mathbf{R_{18}}$ and $\mathbf{R_{19}}$, which can be the same or different, are a straight or branched C_1-C_4 alkyl group, or $\mathbf{-NR_{18}R_{19}}$ is a 5-7 membered nitrogen heterocycle optionally containing another heteroatom selected from the group consisting of O, N, and S;
- **W** is selected from the group consisting of CH_2, O, S, NR_4, and $N(R_4)_2$;
- **p** =1-6, **q** = 1-6.

15. The compound according to claim 14, wherein,

- **B** is a residue selected from the group consisting of:



;

- **Y** is selected from the group consisting of $(CH_2)_pY_1$, $(CH_2)_pNR_6Y_1$, $(CH_2)_pN(Y_1)_2$, NR_5R_6, and a residue selected from the group consisting of:



;

and

- **T** is $-NR_7R_8$, or OR_6.

16. (new) The compound according to claim 15, wherein,

- R_1 is a hydrogen atom or methyl;
- R_2 and R_3, which can be the same or different, are methyl or ethyl, or R_2 and R_3, together with the carbon atom which they are linked to, form a cyclic aliphatic group having 3 to 7 carbon atoms;
- R_4 and R_5, which can be the same or different, are a hydrogen or a methyl;
- **X** is a chlorine atom;
- **B** is a group selected from the group consisting of:



in which R_{13} is H or a Y = Y_1 group in which Y_1 is



; and

- $\mathbf{R_{11}}$ is selected from the group consisting of hydrogen, $-(CH_2)_q-L$, and $-(CH_2)_p-NR_4-(CH_2)_q-L$, wherein L is selected from the group consisting of -OH, $-NR_5R_6$, amidine optionally substituted with 1 or 2 C_1-C_4 alkyl groups, and guanidine optionally substituted with 1 or 2 C_1-C_4 alkyl groups.

17. (new) The compound according to claim 15, wherein,

- $\mathbf{R_2}$ and $\mathbf{R_3}$, which can be the same or different, are methyl or ethyl, or $\mathbf{R_2}$ and $\mathbf{R_3}$, together with the carbon atom which they are linked to, form a cyclic aliphatic group having 3 to 7 carbon atoms;
- $\mathbf{R_4}$ and $\mathbf{R_5}$, which can be the same or different, are a hydrogen or a methyl,
- **X** is a chlorine atom;
- **B** contains at least two amino groups with basic characteristics, in free or salified form, and is selected from the group of:



in which R_{13} is COY, CH_2Y, $-(CH_2)_pW(CH_2)_qY_1$,

- **Y** is a group $(CH_2)pY_1$, or is selected from:



wherein **T** is $-NR_7R_8$ or $-OR_6$;

- R_7 and R_8, which can be can be the same or different, are selected from the group consisting of a hydrogen atom and a C_1-C_4 alkyl group, or NR_7R_8 is one of i) guanidine optionally substituted with 1 or 2 C_1-C_4 alkyl groups, cyclohexyl and ii) a 5-7 membered nitrogen heterocycle optionally containing another heteroatom selected from the group consisting of O, N, and S;
- Y_1 is selected from the group consisting of $-NR_7R_8$ and a residue selected from the group consisting of



- R_9 is hydrogen or $-(CH_2)_q$-L, wherein L is selected from the group consisting of $-NR_5R_6$, amidine optionally substituted with 1 or 2 C_1-C_4 alkyl groups, and guanidine optionally substituted with 1 or 2 C_1-C_4 alkyl groups.

18. (new) The compound according to claim 14, containing at least one tetralkyl ammonium, wherein

- $\mathbf{R_1}$ is a hydrogen atom or methyl;

- $\mathbf{R_2}$ and $\mathbf{R_3}$, which can be the same or different, are selected from methyl or ethyl, or $\mathbf{R_2}$ and $\mathbf{R_3}$, together with the carbon atom which they are linked to, form a cyclic aliphatic group having 3 to 7 carbon atoms;

- $\mathbf{R_4}$ and $\mathbf{R_5}$, which can be the same or different, are a hydrogen or a methyl;

- **X** is a chlorine atom;

- **B** is selected from the group consisting of NR_6Y and from the residues:



- **Y** is selected from the group consisting of Y, COY, $(CH_2)_pY_1$, $NR_6(CH_2)_qY_1$ and a residue selected from the group consisting of:



- **T** is selected from the group consisting of $-NR_7R_8$, $-NR_{14}R_{18}R_{19}$, and $-OR_6$;

- $\mathbf{Y_1}$ is selected from the group consisting of $-NR_7R_8$, $-NR_7R_8R_{14}$ or from the following residues:



19. (new) The compound according to claim 14, wherein the compound is selected from the group consisting of:

- N-[2-[4-(2-(S)-amino-6-dimethylamino-hexanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2-methyl-quinolin-8-yloxy-methyl)-benzensulfonamide trifluoroacetate;
- N-{2-[4-(6-guanidinohexyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)benzenesulfonamido -2-methyl-propionamide tris trifluoroacetate;
- 4-{2-[2,4-Dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzene-sulfonylamino]-2-methyl-propionyl}-piperazine-1-carboxamidine;
- N-[2-[4-(2-(S)-amino-5-guanidino-pentanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-{2-[4-(6-aminohexyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-{2-[4-(piperazin-2-yl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)-benzenesulfonamide tris trifluoroacetate;

- N-{2-[4-(piperazin-1-ylacetyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)-benzene-sulfonamide bis trifluoroacetate;
- N-{2-[4-2-(piperidin-4-yl-acetyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)-benzene-sulfonamide bis trifluoroacetate;
- N-{2-[4-[N-(4-piperidyl)glycyl]-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)-benzene-sulfonamide tris trifluoroacetate;
- N-{2-[4-(4-(2-aminoethyl)piperazin-1-yl)acetyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)-benzenesulfonamide tetra trifluoroacetate;
- N-{2-[4-(3-(R)-Amino-6-guanidino-hexanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-{2-[4-(3-(S)-amino-6-dimethylamino-hexanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)-benzenesulfonamide tris trifluoroacetate;

- N-{2-[4-(3-(S)-amino-7-dimethylamino-heptanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-8-quinolinoxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-(3-Amino-propyl)-4-{2-[2,4-dichloro-3-(2-methyl-quinolin-8-yloxy-methyl)-benzenesulfonylamino]-2-methyl-propionyl}-piperazine-1-carboxamidine tris trifluoroacetate;
- N-[2-[4-(2-(S)-amino-5-dimethylamino-pentanoyl))-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-8-quinolinoxy-methyl)-benzenesulfonamide tris trifluoroacetate;
- (S)-N-{2-[1'-(2-Amino-5-guanidino-pentanoyl)-[4,4']bipiperidinyl-1-yl]-1,1-dimethyl-2-oxo-ethyl}-2,4-dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfonamide;
- 2,4-Dichloro-N-(2-{4-[2-(3,5-dimethyl-piperazin-1-yl)-ethyl]-3,5-dimethyl-piperazin-1-yl}-1,1-dimethyl-2-oxo-ethyl)-3-(2-methyl-4a,8a-dihydro-quinolin-8-yloxymethyl)-benzenesulfonamide;
- N-(2-{4-[4-(2-(S)Amino-5-guanidino-pentanoyl)-piperazin-1-yl]-piperidin-1-yl}-1,1-dimethyl-2-oxo-ethyl)-2,4-dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfonamide;

- 2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfinic acid [1-(4-piperazin-1-yl-piperidine-1-carbonyl)-cyclopentyl]-amide;
- 2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfinic acid (1-{4-[4-(2-S-amino-6-guanidino-hexanoyl)-piperazin-1-yl]-piperidine-1-carbonyl}-cyclopentyl)-amide;
- 2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfinic acid (1-{4-[4-(2-S-amino-5-guanidino-pentanoyl)-piperazin-1-yl]-piperidine-1-carbonyl}-cyclopentyl)-amide;
- 2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfinic acid [1-(4-piperidin-4-yl-piperazine-1-carbonyl)-cyclopentyl]-amide;
- 2,4-Dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfinic acid {2-[4-(2-guanidino-ethyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl}-amide;
- 2,4-Dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfinic acid (2-{4-[2-S-amino-5-(N',N''-diethyl-guanidino)-pentanoyl]-piperazin-1-yl}-1,1-dimethyl-2-oxo-ethyl)-amide;
- 2,4-Dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfinic acid (2-{4-[2-R-amino-5-(N',N''-diethyl-guanidino)-pentanoyl]-piperazin-1-yl}-1,1-dimethyl-2-oxo-ethyl)-amide;

- (2S)-N-(1-{4-[2-Amino-6-(N',N''-diethyl-guanidino)-hexanoyl]-piperazine-1-carbonyl}-cyclopentyl)-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide;
- N-(1-{4-[2-(S)Amino-6-(N',N''-diethyl-guanidino)-pentanoyl]-piperazine-1-carbonyl}-cyclopentyl)-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide;
- N-[2-[4-(2-(S)-Amino-6-dimethylamino-hexanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide;
- N-[2-[4-(3-(S)-Amino-6-dimethylamino-hexanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide;
- N-[2-[4-(3-(S)-Amino-6-dimethylamino-heptanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxy methyl)-benzenesulfonamide;
- N-[2-[4-(2-(S)-Amino-5-guanidino-pentanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide;
- N-[2-[4-(2-(S)-Amino-6-guanidino-hexanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide;

- N-[2-[4-(2-(S)-Amino-5-dimethylamino-pentanoyl))-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide;
- N-[2-[4-(2-(R)-Amino-5-guanidino-pentanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2-methyl-quinolin-8-yloxy-methyl)-benzenesulfonamide;
- N-[2-[4-(3-(S)-Amino-6-guanidino-hexanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2-methyl-quinolin-8-yloxy-methyl)-benzenesulfonamide;
- N-[2-[4-(3-(S)-Amino-7-guanidino-heptanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2-methyl-quinolin-8-yloxy-methyl)-benzenesulfonamide;
- N-{2-[4-(4-2(Guanidino)ethyl]piperazin-1ylacetyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfonamide;
- N-[1-[4-(2-(S)-Amino-5-guanidino-pentanoyl)-piperazine-1-carbonyl]-cyclopentyl]-2,4-dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-[1-[4-(2-(S)-Amino-6-guanidino-hexanoyl)-piperazine-1-carbonyl]-cyclopentyl]-2,4-dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-[1-[4-(2-(S)-Amino-6-dimethylamino-hexanoyl)-piperazin-1-yl]-cyclopentyl]-2,4-dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;

- N-[1-[4-(2-(S)-Amino-6-guanidino-hexanoyl)-piperazine-1-carbonyl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-[1-[4-(2-(S)-Amino-6-dimethylamino-hexanoyl)-piperazin-1-yl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- (R)-N-[4-(2-(S)-Amino-6-guanidino-hexanoyl)-piperazine-1-carbonyl]-1-methyl-propyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- (R)-N-[1-[4-(2-(S)-Amino-6-dimethylamino-hexanoyl)-piperazine-1-carbonyl]-1-methyl-propyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-{2-[4-(4-2(Guanidino)ethyl]piperazin-1ylacetyl)-piperazin-1-carbonyl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tetra trifluoroacetate;
- N-[1-[4-(2-(R)-Amino-6-amino-hexanoyl)-piperazine-1-carbonyl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-[1-[4-(2-(R)-Amino-6-guanidino-hexanoyl)-piperazine-1-carbonyl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-

quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;

- N-[2-[4-(3-(S)-Amino-6-guanidino-hexanoyl)-piperazin-1-carbonyl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-[2-[4-(3-(S)-Amino-6-dimethylamino-hexanoyl)-piperazin-1-carbonyl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-[1-[4-(6-Guanidino-hexanoyl)-piperazine-1-carbonyl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzene-sulfonamide bis trifluoroacetate;
- N-[2-[4-(2-(S)-Amino-6-amino-hexanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-[2-[4-(2-(S)-Guanidino-6-guanidino-hexanoyl)-piperazin-1-yl]-1,1-dimethyl-2-oxo-ethyl]-2,4-dichloro-3-(2-methyl-quinolin-8-yloxy-methyl)-benzenesulfonamide tris trifluoroacetate;
- (R)-N-[4-(3-(S)-Amino-6-guanidino-hexanoyl)-piperazine-1-carbonyl]-1-methyl-propyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxy-methyl)-benzenesulfonamide tris trifluoroacetate;

- (R)-N-{2-[4-(4-2(Guanidino)ethyl]piperazin-1ylacetyl)-piperazin-1-carbonyl]--1-methyl-propyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tetra trifluoroacetate;
- (R)-N-[4-(3-(S)-Amino-6-amino-hexanoyl)-piperazine-1-carbonyl]-1-methyl-propyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- (R)-N-[4-(3-(S)-Guanidino-6-guanidino-hexanoyl)-piperazine-1-carbonyl]-1-methyl-propyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- (R)-N-[4-(3-(S)-Amino-6-dimethylamino-hexanoyl)-piperazine-1-carbonyl]-1-methyl-propyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- (S)-N-[4-(2-(S)-Amino-6-guanidino-hexanoyl)-piperazine-1-carbonyl]-1-methyl-propyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxy-methyl)-benzenesulfonamide tris trifluoroacetate;
- (S)-N-[4-(3-(S)-Amino-6-guanidino-hexanoyl)-piperazine-1-carbonyl]-1-methyl-propyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxy-methyl)-benzenesulfonamide tris trifluoroacetate;

- 2,4-Dichloro-N-{1-[4-(3(S),6-diamino-hexanoyl)-piperazine-1-carbonyl]-cyclopentyl}-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- 2,4-Dichloro-N-{1-[4-(3(S),6-diguanidino-hexanoyl)-piperazine-1-carbonyl]-cyclopentyl}-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-(1-{4-[3-(S),6-Bis-(N',N''-dicyclohexyl-guanidino)-hexanoyl]-piperazine-1-carbonyl}-cyclopentyl)-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzensulfonamide tris trifluoroacetate;
- N-{1-[4-(2-(S)Amino-3-piperidin-4-yl-propionyl)-piperazine-1-carbonyl]-cyclopentyl}-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-{1-[4-(2-Trimethylammonium-acetyl)-piperazine-1-carbonyl]-cyclopentyl}-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide bis trifluoroacetate;
- N-{1-[4-(4-Trimethylammonium-butanoyl)-piperazine-1-carbonyl]-cyclopentyl}-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide bis trifluoroacetate;

- N-{1-[4-(3(R)-Hydroxy-4-trimethylammonium-butanoyl)-piperazine-1-carbonyl]-cyclopentyl}-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxy-methyl)-benzenesulfonamide bis trifluoroacetate;
- N-[1-[4-(2-(S)-Dimethylamino-6-dimethylamino-hexanoyl)-piperazin-1-yl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxy-methyl)-benzenesulfonamide tris trifluoroacetate;
- {5-[(1-{1-[2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzensulfonylamino]-cyclopentanecarbonyl}-piperidin-4-ylmethyl)-dimethyl-ammonium]pentyl}-trimethyl-ammonium tris trifluoroacetate;
- {5-[(1-{1-[2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzensulfonylamino]-cyclopentanecarbonyl}-piperidine-4-carbonyl)-amino]-pentyl}-trimethyl-ammonium bis trifluoroacetate;
- N-[1-[4-(2-(S)-Trimethylammonium-6-trimethylammonium-hexanoyl)-piperazin-1-yl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-[1-[4-(2-(R)-Trimethylammonium-6-trimethylammonium-hexanoyl)-piperazin-1-yl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;

- N-[1-[4-(2-(S)-Trimethylammonium-6-amino-hexanoyl)-piperazin-1-yl]-cyclopentyl]-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-{1-[4-(6-Trimethylammonium-hexanoyl)-piperazine-1-carbonyl]-cyclopentyll}-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide bis trifluoroacetate;
- N-(6-Amino-hexyl)-4-{2-[2,4-dichloro-3-(2-methyl-quinolin-8-yloxy-methyl)-benzenesulfonylamino]-2-methyl-propionyl}-piperazine-1-carboxamidine;
- N-[2-(3-Amino-propylamino)-ethyl]-4-{2-[2,4-dichloro-3-(2-methyl-quinolin-8-yloxymethyl)-benzenesulfonylamino]-2-methyl-propionyl}-piperazine-1-carboxamidine;
- N-(3-Amino-propyl)-4-{2-[2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonylamino]-2-methyl-propionyl}-piperazine-1-carboxamidine bis trifluoroacetate;
- N-(6-Amino-hexyl)-4-{1-[2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonylamino]-cyclopentanecarbonyl}-piperazine-1-carboxamidine bis trifluoroacetate;
- N-[2-(3-Amino-propylamino)-ethyl]-4-{1-[2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-

benzenesulfonylamino]-cyclo-pentanecarbonyl}-piperazine-1-carboxamidine bis trifluoroacetate:

- N-[2-(4-{1-[2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonylamino]-cyclopentanecarbonyl}-piperazin-1-yl)-ethyl]-4-methyl-piperazine-1-carboxamidine bis trifluoroacetate;
- 2,4-Dichloro-N-{1-[4-(2(R),6-diamino-hexyl)-piperazine-1-carbonyl]-cyclopentyl}-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzene-sulfonamide tetra trifluoroacetate;
- 2,4-Dichloro-N-{1-[4-(2(R),6-diguanidino-hexyl)-piperazine-1-carbonyl]-cyclopentyl}-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tetrahydrochloride
- 2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-N-{1-[4-(2-piperazin-1-yl-ethyl)-piperazine-1-carbonyl]-cyclopentyl}-benzenesulfonamide tetra trifluoroacetate;
- 2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-N-{1-[4-(2-piperidin-4-yl-ethyl)-piperazine-1-carbonyl]-cyclopentyl}-benzene-sulfonamide;
- {3-[(4-{1-[2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonylamino]-cyclopentanecarbonyl}-piperazine-1-carboximi-doyl)-amino]propyl}-trimethyl-ammonium tris trifluoroacetate;
- 4-{1-[2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzene-sulfonylamino]-

cyclopentanecarbonyl}-N-(3-dimethylamino-propyl)-piperazine-1-carboxamidine tris trifluoroacetate;

- N-(1-{4-[(5-Amino-pentylamino)-methyl]-piperidine-1-carbonyl}-cyclopentyl)-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- N-{1-[4-(4-Amino-piperidin-1-ylmethyl)-piperidine-1-carbonyl]-cyclopentyl}-2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonamide tris trifluoroacetate;
- 2,4-Dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-N-(1-{4-[(5-methylamino-pentylamino)-methyl]-piperidine-1-carbonyl}-cyclopentyl)-benzenesulfonamide tris trifluoroacetate; and
- Amino-6-(4-{1-[2,4-dichloro-3-(2,4-dimethyl-quinolin-8-yloxymethyl)-benzenesulfonylamino]-cyclopentanecarbonyl}-piperazin-1-yl)-6-oxo-hexyl]-trimethyl-ammonium bis trifluoroacetate.

20. (new) An intermediate of general formula (6) or (7)



(6)



(7)

in which R_1 can be H or methyl, R_2 and R_3 can be independently methyl, ethyl or, together with the carbon atom which they are linked to, form a cyclopentyl group, and R_{14} is methyl or t-butyl.

21. (new) An intermediates of general formula (1)



(1)

in which R_1 can be H or methyl, R_2 and R_3 can be independently methyl, ethyl or, together with the carbon atom which they are linked to, form a cyclopentyl group.

22. (new) A pharmaceutical composition containing as an active ingredient a compound as claimed in any one of claims 14 to 19, together with pharmaceutically acceptable excipients.

23. (new) A method for the treatment of inflammation, asthma, chronic bronchitis, allergic rhinitis or obstructive pulmonary disease (COPD) in a subject in need thereof, which comprises administering to said subject a therapeutically effective amount of a compound according to claim 14.